



NAVARA





## LIVE LIFE WITHOUT LIMITS

The new Nissan Navara has upped the ante in ruggedness, style, safety, comfort and driving pleasure while remaining true to its heritage of durability, reliability, versatility, and fuel efficiency. And the complete confidence of knowing that whatever you want to do, wherever you want to go, you can count on the new locally produced Nissan Navara to take you there.

The ability to make every day an adventure, with a capability and sophistication that opens up a whole new world for you to explore. Navara is loaded with the tech you need to shift into 4x4 and cruise rolling dunes, tackle river crossings with ease or climb an extreme 4x4 trail with unmatched capability. Made possible with big, bold style. The new Nissan Navara is tough, geared to excite and ready to conquer whatever comes next.







## MADE FOR YOUR JOURNEY

Looking for a single or double cab perfectly suited to your functional or lifestyle needs? The new Nissan Navara's expanded range has just the vehicle for you. With over 85 years' experience building tough, reliable bakkies, the new locally-produced Nissan Navara has evolved over the years and is designed to impress with top-class new features, styling and technology.

Nissan produced the first pickup in 1935, along the way pioneering the King Cab in 1977, the innovative Utili-track tie down system in 2005, and today the leader in the use of the 5-link coil spring rear suspension on a 1-ton bakkie. With a proud legacy of reliability and innovation, Nissan Navara continues to blaze the trail, whether at work or on an adventure.



INTELLIGENT AROUND VIEW MONITOR

## IT'S A TIGHT SQUEEZE, BUT YOU'LL GET THROUGH WITHOUT A SCRATCH.

The path ahead may be tricky and treacherous but with Navara's advanced safety tech on your side you can afford to be fearless. Wheel scraping boulders? Severe drop-offs? No problem. Four cameras give you a 360-degree overhead view of every obstacle. Think of it as your own on board high-tech aerial guide.



**Off-road** - On rough terrain, the Intelligent Around View Monitor becomes your personal spotter. With a designated off-road mode, at slow speeds in 4 LO, it gives you a clear view of the surrounding terrain so you can see exactly where to place your front wheels.

**Trailer Hook-up** - Having a 360-degree view is especially useful when connecting to a trailer. Active guidelines help you place your Navara perfectly, while it's also ideal for negotiating a tight parking spot.

**Around View Monitor** - The system creates a 'bird's-eye view' of the vehicle's surroundings, which is then displayed on the infotainment screen.

**Moving Object Detection** - Nissan Navara's intelligent cameras are also able to detect moving objects around the vehicle, making it easier and safer to park with confidence.





SAFETY AND DRIVER ASSIST TECHNOLOGY

## WHEREVER YOU GO, BRING A WINGMAN.

Just because you can't see the obstacles doesn't mean they're not there: A car in your blind spot, distractions that make you stray from your lane, someone zipping by as you're backing out of a crowded parking lot. Now you can drive with confidence because whatever comes your way, you've got a wingman on your side.



**Intelligent Emergency Braking** Help if you need it. It monitors your speed and distance between you and the car ahead and can let you know if you need to slow down. It can also automatically engage the brakes to help avoid a collision or lessen the severity of an impact.



**Blind Spot Warning** This feature keeps an eye on the blind spot area and gives you a heads-up when it detects a vehicle in that area. If you begin to change lanes, the system alerts you in order to avoid danger.



**Lane Departure Warning** With clear lane markings, Lane Departure Warning can instantly detect when you stray out of your lane and alerts you so you can take corrective measures.



**Intelligent Forward Collision Warning** The Nissan Navara is on the lookout when you can't see what's going on up ahead. Watching two vehicles in front, it provides a warning to slow down when it detects sudden deceleration in front of you.



**Rear Cross Traffic Alert** Backing out of your parking space, Rear Cross Traffic Alert monitors the rear of your Navara and warns you about cars it detects creeping up from either side.

**Intelligent Driver Alert** Monitors your driving patterns and steering behaviour to detect abnormal changes. If inattention is detected, audible and visual alerts are presented.



OFF-ROAD TECHNOLOGY

# CLIMB, SWIM, CRAWL, FLY, CONQUER, AND NEVER BACK DOWN.

You've picked a climb so remote, it isn't even on the map. Now you need advanced tech to make it your own. Slippery stuff? You'll push through like a pro as the electronic locking rear differential digs in. Heavy-duty ruts and bumps? Steep inclines or declines? You're in complete control as the Navara's long-travel off-road suspension soaks up the harsh stuff and gives you a smooth, comfortable ride. So when you're faced with challenging terrain, no worries - with Navara it's your playground, whatever your journey.



**Hill Descent Control** Helps make going down steep grades more manageable by automatically adjusting your speed and brake pressure to help keep you going at a controlled speed.



**Hill Start Assist** When you're on a steep incline, hill start assist helps stop you from rolling backwards.



**Brake Limited  
Slip Differential**



**Electronic Locking  
Rear Differential**



ADVANCED TECHNOLOGY WITH TRAILER SWAY CONTROL

## ESCAPE THE CITY – AND GET AWAY TO SOMEWHERE SPECIAL

When you can go wherever you want and bring what you want, when you want, it opens up a whole new world of adventure and excitement. Campsite off the beaten track? Sho't left? Easy. Navara is equipped with advanced tech and unbeatable ruggedness, including a fully boxed frame, strengthened rear axle and upgraded brakes all engineered for towing. Big trailer? No sweat; with trailer sway control you're assured of a ride so smooth and straight, you may even forget you've got an extra load in tow.



**3,500** KG

Maximum Towing (Braked) Capacity

**1,086** KG

Maximum Payload Capacity (DC)

**1144** KG

Maximum Payload Capacity (SC)

\*PAYLOAD DIFFERS PER MODEL



FULLY BOXED, FULLY CAPABLE

## NEVER BUCKLE IN THE FACE OF ADVENTURE

Get axle-deep in fun. Navara's toughness means confidence you can feel. Go anywhere, challenge yourself. Cruise the dunes, crawl over boulders – even wade through a river crossing. With a combination of strength, capability and skill that comes from decades of building authentic off-road pickups, Navara will take you wherever you want – explore or play.



**Fully Boxed Frame:** Unlike some three-sided frames, a fully boxed ladder frame won't twist over uneven terrain. This means more strength and, ultimately, more capability.



**5-Link Rear Suspension\*:** Navara's 5-link rear suspension helps give a smoother ride, even in severe conditions. It also provides a more comfortable ride for those in the back.  
\*On Double Cabs.



**Ground Clearance:** With generous ground clearance and superior approach and departure angles, Navara is adept at fording ravines and climbing seriously rocky terrain.





POWERFUL ENGINE

## EMBRACE AWESOME UPHILL CHALLENGES

The way ahead is measured in vertical feet instead of kilometres – and that's the beauty of it. Navara has the power and torque you need to go where you want, when you want. Aim high and start your adventures.



### 2.5-L

**Intercooled Turbo Diesel Engine**

Efficiency and torque in one capable package. With a turbocharger and quick-shifting 7-speed automatic transmission or 6-speed manual transmission, you've got all the power you need to tow and haul.

**MID OUTPUT**  
POWER 120 KW  
TORQUE 403 NM

**HIGH OUTPUT**  
POWER 140 KW  
TORQUE 450 NM

### 2.5-L

**4-Cylinder Petrol Engine**

Hooked up to a 6-speed manual transmission, you have the efficiency you want, and the responsiveness and control that you need.

POWER 118 KW  
TORQUE 233 NM

AVAILABLE ON SINGLE  
CAB XE GRADE



LOAD UP AND GO ANYWHERE WITH CONFIDENCE

## GET THE MOST OUT OF EVERY DAY

To make the most of an extraordinary day you need to bring all the toys. Get up before the sun and embark on a memorable journey to find that secret spot you can only reach with a real bakkie – Navara is up for it. Mountain biking after that? Rock climbing? Shisanyama? DIY duties? No problem – you've got easy access with an easy lift tailgate and a large load bin to bring along whatever you need, coupled with Nissan's innovate Utili-track to make sure your gear is locked down and secure on your journey.



**Utili-track Channel System** Ideal for securing your cargo, this innovative system consists of two channels running the length of the pickup bed, plus four heavy-duty cleats which allow you to position stable tie-down points practically anywhere.



**Integrated Bumper Step** With a bakkie loadbox, getting to what you need is vital – especially when loaded. Navara's new integrated bumper step gives you easy access. Available from SE Plus grade.







## ARRIVING IN STYLE COMES STANDARD

The stylish LE Model comes standard with chrome finishes and 18 inch wheels to turn heads no matter the occasion. Headed to date night with your partner, the shisanyama or a braai with your friends, the car wash, a journey back home eMakhaya or on an adventure - you are guaranteed to show up in style with a bold new masculine design that commands attention.





LOAD UP AND GET READY TO TACKLE ANY TASK

## THE NEW NAVARA'S EXPANDED RANGE NOW INCLUDES THE SINGLE CAB

New Nissan Navara now offers a Single Cab grade in an XE model, mid-grade SE and higher grade LE designed to suit your functional needs in whatever industry or business environment you need the vehicle to perform.



## DON'T JUST MAKE A SCENE, BE THE SCENE

**PRO-4X**

When heads turn as soon as you pull up, you know it's going to be a great night. You're dressed with style that draws a crowd, thanks to blacked-out trim, over-fenders, and orange-accented badges.

What's more, when you want to make a quick escape, 17" AT black alloy wheels and long-travel off-road suspension let you hit the streets with confidence and unmatched style in the new adventure ready PRO-4X and PRO-2X (2WD).






SEAMLESS CONNECTIVITY

## FIND THE NEAREST TRAIL, OR THE BEST SPOTS IN TOWN.

Whether it's to beat the crowds – or be part of the crowd – advanced tech is your guide. Apple CarPlay integration and Android Auto let you connect the way you want. You can even customize the 8-inch touch-screen display like your favourite tablet. And with rapid charging from a state-of-the-art USB-C port, your phone will be ready for any occasion.

NissanConnect

**NissanConnect** lets you seamlessly connect to your compatible smartphone, with Bluetooth streaming audio, Voice Recognition, and Navigation to keep you in the loop, and on the go.



**Apple CarPlay**® integration, equipped with Siri voice control, brings your contacts, favorite apps, music, maps, and more. Steering wheel controls give you easy access at your fingertips. Simply plug in your compatible iPhone and go.



**Android Auto**™ can get you where you're going with Google Maps™ as your guide, while Google Play™ Music provides the soundtrack along the way. Choose a song, change your destination, or respond to a text with your hands on the wheel using the hundreds of voice commands using Google Assistant™.



ADVANCED DRIVE - ASSIST DISPLAY

## WHEN YOU'RE WELL INFORMED, YOU'RE IN COMMAND.

It's easy to be in control of the situation with Navara's Advanced Drive-Assist Display. Helping to keep your eyes on the road with less distraction means you're focused and relaxed, whether you're dodging boulders or negotiating city traffic. Navara's 7-inch Advanced Drive-Assist Display puts key information right where you want it. With a quick glance down, you have info on everything from music information to navigation directions and key driver's aid alerts. The system can even monitor your driving and suggest when you may need to take a break or stop for coffee.



Turn-by-turn Directions



Driving Aids



Intelligent Driver Alertness



Bluetooth Audio








FATIGUE-REDUCING ALL DAY COMFORT SEATS

## FIND SANCTUARY WHEREVER YOU GO

Relax in so much comfort and style, you'll never want to leave. Whether it's a road trip with the squad or date night, you've got upscale accommodations with unique interior trim, special orange-accented logos and stitching in the PRO-4X and anodised black panels. Make those long drives fly by with a quieter cabin featuring supportive, fatigue-reducing front seats with available leather. Tailor your environment just the way you like it with Dual Zone Climate Control. And an 8-way power adjustable driver's seat, plus recontoured rear seats with a new rear armrest and dual cup-holders in the back, means every seat is the best seat in the new Navara.



Comfort Rear  
Seating Cushions



Noise-reducing  
Acoustic Glass



Fatigue-reducing  
seats





#### CARGO AND STORAGE

### STORE IT, HIDE IT, LOCK IT, LOVE IT.

Life can get messy. Navara brings order to the chaos. Tuck things away with a high-capacity glove compartment, a roomy centre console and dedicated storage under the climate control section. Keep your electronics charged up with handy USB ports. Nissan innovation is everywhere you look: the cupholders are perfect for holding drinks, but when not in use the "dog-bone" design is ideally shaped to hold your cell phone.

#### 2ND ROW FLEXIBILITY

### FLIP IT UP, OR JUST STRETCH OUT AND ENJOY.

Navara maximises storage inside and out. The rear seats feature under-seat storage to keep items from prying eyes, and can stay flipped up to help carry taller items. The rear seats also feature a fold-down armrest with cup-holders, and have even been re-contoured for more support – so passengers are guaranteed five star comfort on road trips, too.







## EVERYTHING ON THE AGENDA, AND NOTHING OFF LIMITS

As soon as you see your new Navara, designed for work or play – your heart beats a little faster. Every day is going to be exceptional – every experience can be yours for the taking. It starts with rugged looks that let you stand out from the crowd. But the real fun begins when you point that chiseled nose towards the horizon and hunt down excitement. Bring your family, colleagues or friends – you've got all the room you need. Scale a mountain, journey back home – eMakhaya, visit the work site, hit the beach.

With power, capability and advanced tech along for the ride, it's a whole new world – your new world. So gear up for adventure, and get ready to go where you've never been before. Your journey in an authentic locally produced bakkie starts now.





NISSAN NAVARA

## NISSAN NAVARA APPROVED ACCESSORIES FOR YOUR NEEDS

Nissan Genuine Accessories comply with Nissan Accessory Design Standards (NADS) to ensure best performance, durability, quality and support. Nissan South Africa warrants Nissan Genuine Accessories supplied by an authorised Nissan dealer. With authentic Nissan parts, these are designed for customers' peace of mind and satisfaction. In addition to the list of genuine accessories, Nissan also has a selected range of additional accessories from respected suppliers to satisfy a broad range of specific needs.

Personalise your new Navara with a range of Nissan Genuine Accessories that reflect your personality, lifestyle and functional needs. Accessories are designed to improve the new Navara's style, design, functionality and performance. Personalising your vehicle enables you to stand out from the rest of the pack to showcase versatile looks and capabilities of the vehicle to meet play or working conditions.

Nissan accessories are not available from any other aftermarket competitors or any other retail stores, only available through a Nissan approved dealership. Nissan South Africa warrants all Nissan Genuine Accessories supplied by an authorised Nissan dealer. Fitting accessories from Nissan approved dealerships maintains the vehicle's safety plus integrity and will not affect the 6-year or 150 000km warranty.



# TAILORED FOR YOU, TAILORED FOR YOUR NEEDS

From lifestyle, protection, functional enhancements, technology and design - the full range of Genuine Accessories accessories are available for dealer fitment. Nissan Genuine Accessories are specifically designed and manufactured to fit new Navara vehicles to ensure optimal vehicle performance in support of vehicle warranty. The core styling has been engineered, tested and approved by Nissan's Global Design Centre to ensure best performance, durability, quality and support.



NUDGE BAR



SPORTS BAR



TONNEAU COVER  
TAIL LAMP SURROUNDS



TAILGATE GARNISH



HEAD LAMP SURROUNDS  
BONNET GUARD



18" ALLOY WHEELS  
FENDER FLARES



TOW BAR



# COLOURS



White (S) - QM1



Silver (M) - KYO



Techno Grey (M) - KY5



Red (S) - AX6



Forged Copper (M) - CAU



Infinite Black (S) - KH3



Warrior Grey (PM) - KBY  
Available on PRO-2X and PRO-4X only

| Colours         | White (S)<br>QM1 | Silver (M)<br>KYO | Techno Grey (M)<br>KY5 | Infinite Black (S)<br>KH3 | Red (S)<br>AX6 | Forged Copper (M)<br>CAU | Warrior Grey (PM)<br>KBY |
|-----------------|------------------|-------------------|------------------------|---------------------------|----------------|--------------------------|--------------------------|
| MODEL           |                  |                   |                        |                           |                |                          |                          |
| Single Cab      | •                | •                 | •                      | •                         | •              | •                        | -                        |
| Double Cab      | •                | •                 | •                      | •                         | •              | •                        | -                        |
| PRO-2X & PRO-4X | •                | -                 | -                      | •                         | •              | -                        | •                        |

# TRIMS



CLOTH (SE and SE Plus grades)



BLACK LEATHER (LE grade)



BLACK LEATHER (PRO-4x)

# WHEELS



16" STEEL  
(SINGLE CAB)



17" STEEL



17" ALLOY



18" ALLOY



17" ALLOY





# ~~WE MAKE PROMISES.~~ WE KEEP PROMISES.

INTRODUCING NISSAN ASSURED, IT'S MORE THAN A PROMISE. AS PART OF THE NISSAN FAMILY YOU'RE GUARANTEED OUR COMMITMENT TO CUSTOMER CARE. A LASTING BOND BETWEEN YOU, YOUR VEHICLE AND THE NISSAN BRAND. **THAT'S OUR PROMISE.**

#### **CUSTOMER EXPERIENCE**

We promise to make your Nissan experience one to cherish, from your delivery day and everyday after, our commitment is to deliver a service experience you can trust – and believe in.

#### **CUSTOMER SUPPORT ROADSIDE ASSISTANCE**

We keep you on the road 24/7. Should anything unexpected happen we guarantee you 24-hour roadside assistance, no matter the age of your Nissan, because it's still a Nissan. Just call **0800 NISSAN (64 77 26)** anywhere, anytime. Terms and Conditions do apply.

#### **LICENCE RENEWAL REMINDER**

We'll remind you in advance so you can keep your licence disk up to date.

#### **6 YEAR OR 90 000KM SERVICE PLAN**

For the first 6 years or 90 000km of driving your car, whichever comes first, you can rest easy knowing that our promise to you is a kept one. We'll make sure your car is running smoothly and always on the road.

#### **6 YEAR OR 150 000KM WARRANTY**

As long as your car is under our warranty, we'll always have you covered if anything goes wrong. You don't need to stress for the first 6 years or 150 000km, whichever comes first.

#### **SERVICE AND REPAIRS FREE VEHICLE HEALTH CHECK**

We'll give your car a free health check on every major and minor service prior to any work being carried out, so you know exactly what needs to be done, and how much it will cost.

#### **COMPETITIVELY PRICED PARTS**

We deliver the highest care for your Nissan by fitting only Nissan Genuine Parts. The expertise of our Nissan trained teams will also guarantee best value-for-money by finding the most competitively priced part for your local dealer.

#### **COURTESY CAR**

We will arrange a courtesy car for all warranty repairs should the components required not be available within 48 hours.

**NISSAN** Assured  
More than a promise

Call **0800 NISSAN (64 77 26)**  
or visit [www.nissan.co.za](http://www.nissan.co.za) for more information.



| Model                                 | Unit of Measure | 2.5DDTi SE 4X2 MT                        | 2.5DDTi SE 4X2 AT                        | 2.5DDTi SE 4X4 MT                        | 2.5DDTi SE Plus 4X2 MT                   | 2.5DDTi SE Plus 4X2 AT                   |
|---------------------------------------|-----------------|--|--|--|--|--|
| <b>ENGINE</b>                         |                 |  |  |  |  |  |
| Engine                                |                 | 2.5DDTi Mid Output                       | 2.5DDTi High Output                      | 2.5DDTi Mid Output                       | 2.5DDTi Mid Output                       | 2.5DDTi High Output                      |
| Engine displacement                   | cc              | 2488                                     | 2488                                     | 2488                                     | 2488                                     | 2488                                     |
| Bore and stroke                       | mm              | 89.0 x 100.0                             | 89.0 x 100.0                             | 89.0 x 100.0                             | 89.0 x 100.0                             | 89.0 x 100.0                             |
| Maximum power                         | kW/rpm          | 120/3600                                 | 140/3600                                 | 120/3600                                 | 120/3600                                 | 140/3600                                 |
| Maximum torque                        | Nm/rpm          | 403/2000                                 | 450/2000                                 | 403/2000                                 | 403/2000                                 | 450/2000                                 |
| Fuel type                             |                 | Diesel                                   | Diesel                                   | Diesel                                   | Diesel                                   | Diesel                                   |
| Fuel tank capacity                    | ℓ               | 80                                       | 80                                       | 80                                       | 80                                       | 80                                       |
| <b>TRANSMISSION &amp; DRIVE TRAIN</b> |                 |  |  |  |  |  |
| Transmission                          |                 | 6-Speed Manual                           | 7-SPEED AUTOMATIC                        | 6-Speed Manual                           | 6-SPEED MANUAL                           | 7-SPEED AUTOMATIC                        |
| Driven wheels                         |                 | 2WD                                      | 2WD                                      | 4WD                                      | 2WD                                      | 2WD                                      |
| Electronic rear differential lock     |                 | Std                                      | Std                                      | Std                                      | Std                                      | Std                                      |
| <b>SUSPENSION</b>                     |                 |  |  |  |  |  |
| Front                                 |                 | Independent double-wishbone + stabiliser | Independent double-wishbone + stabiliser | Independent double-wishbone + stabiliser | Independent double-wishbone + stabiliser | Independent double-wishbone + stabiliser |
| Rear                                  |                 | 5-Link Coil Spring                       | 5-Link Coil Spring                       | 5-Link Coil Spring                       | 5-Link Coil Spring                       | 5-Link Coil Spring                       |
| <b>WEIGHTS &amp; CAPACITY</b>         |                 |  |  |  |  |  |
| Gross Combination Mass (GCM)          | kg              | 6130                                     | 6130                                     | 6130                                     | 6130                                     | 6130                                     |
| Gross Vehicle Mass (GVM)              | kg              | 3035                                     | 3035                                     | 3035                                     | 3035                                     | 3035                                     |
| Tare mass                             | kg              | 1894                                     | 1904                                     | 1977                                     | 1894                                     | 1904                                     |
| Payload                               | kg              | 1064                                     | 1053                                     | 981                                      | 1064                                     | 1053                                     |
| Maximum towing capacity unbraked      | kg              | 750                                      | 750                                      | 750                                      | 750                                      | 750                                      |
| Maximum towing capacity braked        | kg              | 3500                                     | 3500                                     | 3500                                     | 3500                                     | 3500                                     |
| <b>DIMENSIONS</b>                     |                 |  |  |  |  |  |
| Overall length                        | mm              | 5210                                     | 5210                                     | 5210                                     | 5260                                     | 5260                                     |
| Overall width (excluding mirrors)     | mm              | 1850                                     | 1850                                     | 1850                                     | 1850                                     | 1850                                     |
| Overall height                        | mm              | 1815                                     | 1815                                     | 1825                                     | 1815                                     | 1815                                     |
| Wheelbase                             | mm              | 3150                                     | 3150                                     | 3150                                     | 3150                                     | 3150                                     |
| Ground clearance (to rear axle)       | mm              | 221                                      | 221                                      | 221                                      | 221                                      | 221                                      |
| Front track                           | mm              | 1570                                     | 1570                                     | 1570                                     | 1570                                     | 1570                                     |
| Rear track                            | mm              | 1570                                     | 1570                                     | 1570                                     | 1570                                     | 1570                                     |
| Front overhang                        | mm              | 885                                      | 885                                      | 885                                      | 885                                      | 885                                      |
| Rear overhang                         | mm              | 1175                                     | 1175                                     | 1175                                     | 1225                                     | 1225                                     |
| Turning circle (wall to wall)         | m               | 6.7                                      | 6.7                                      | 6.7                                      | 6.7                                      | 6.7                                      |
| Approach angle                        | Degrees         | 31.7                                     | 31.7                                     | 32.5                                     | 31.7                                     | 31.7                                     |
| Departure angle                       | Degrees         | 28.4                                     | 28.4                                     | 29.1                                     | 25.8                                     | 25.8                                     |
| Ramp break-over angle                 | Degrees         | 22.2                                     | 22.2                                     | 23.2                                     | 22.2                                     | 22.2                                     |
| Load box length - top                 | mm              | 1471                                     | 1471                                     | 1471                                     | 1471                                     | 1471                                     |
| Load box length - floor               | mm              | 1509                                     | 1509                                     | 1509                                     | 1509                                     | 1509                                     |
| Load box width - top                  | mm              | 1492                                     | 1492                                     | 1492                                     | 1492                                     | 1492                                     |
| Load box width - floor                | mm              | 1560                                     | 1560                                     | 1560                                     | 1560                                     | 1560                                     |
| Load box width - between wheel arches | mm              | 1134                                     | 1134                                     | 1134                                     | 1134                                     | 1134                                     |
| Load box width - tailgate opening     | mm              | 1358                                     | 1358                                     | 1358                                     | 1358                                     | 1358                                     |
| Load box height (Front - Rear)        | mm              | 493-500                                  | 493-500                                  | 493-500                                  | 493-500                                  | 493-500                                  |

| 2.5DDTi SE Plus 4X4 MT                   | 2.5DDTi LE 4X2 AT                        | 2.5DDTi LE 4X4 MT                        | 2.5DDTi LE 4X4 AT                        | 2.5DDTi PRO-2X 4X2 AT                    | 2.5DDTi PRO-4X 4X4 AT                    |
|--|--|--|--|--|--|
| 2.5DDTi Mid Output                       | 2.5DDTi High Output                      | 2.5DDTi High Output                      | 2.5DDTi High Output                      | 2.5DDTi High Output                      | 2.5DDTi High Output                      |
| 2488                                     | 2488                                     | 2488                                     | 2488                                     | 2488                                     | 2488                                     |
| 89.0 x 100.0                             | 89.0 x 100.0                             | 89.0 x 100.0                             | 89.0 x 100.0                             | 89.0 x 100.0                             | 89.0 x 100.0                             |
| 120/3600                                 | 140/3600                                 | 140/3600                                 | 140/3600                                 | 140/3600                                 | 140/3600                                 |
| 403/2000                                 | 450/2000                                 | 450/2000                                 | 450/2000                                 | 450/2000                                 | 450/2000                                 |
| Diesel                                   | Diesel                                   | Diesel                                   | Diesel                                   | Diesel                                   | Diesel                                   |
| 80                                       | 80                                       | 80                                       | 80                                       | 80                                       | 80                                       |
| 6-SPEED MANUAL                           | 7-Speed Automatic                        | 6-SPEED MANUAL                           | 7-Speed Automatic                        | 7-SPEED AUTOMATIC                        | 7-SPEED AUTOMATIC                        |
| 4WD                                      | 2WD                                      | 4WD                                      | 4WD                                      | 2WD                                      | 4WD                                      |
| Std                                      | Std                                      | Std                                      | Std                                      | Std                                      | Std                                      |
| Independent double-wishbone + stabiliser | Independent double-wishbone + stabiliser | Independent double-wishbone + stabiliser | Independent double-wishbone + stabiliser | Independent double-wishbone + stabiliser | Independent double-wishbone + stabiliser |
| 5-Link Coil Spring                       | 5-Link Coil Spring                       | 5-Link Coil Spring                       | 5-Link Coil Spring                       | 5-Link Coil Spring                       | 5-Link Coil Spring                       |
| 6130                                     | 6130                                     | 6130                                     | 6130                                     | 6130                                     | 6130                                     |
| 3035                                     | 3115                                     | 3115                                     | 3115                                     | 3115                                     | 3115                                     |
| 1977                                     | 1943                                     | 2020                                     | 2023                                     | 1943                                     | 2023                                     |
| 981                                      | 1086                                     | 1008                                     | 1003                                     | 1086                                     | 1003                                     |
| 750                                      | 750                                      | 750                                      | 750                                      | 750                                      | 750                                      |
| 3500                                     | 3500                                     | 3500                                     | 3500                                     | 3500                                     | 3500                                     |
| 5260                                     | 5260                                     | 5260                                     | 5260                                     | 5260                                     | 5260                                     |
| 1850                                     | 1850                                     | 1850                                     | 1850                                     | 1875                                     | 1875                                     |
| 1825                                     | 1815                                     | 1825                                     | 1825                                     | 1845                                     | 1855                                     |
| 3150                                     | 3150                                     | 3150                                     | 3150                                     | 3150                                     | 3150                                     |
| 221                                      | 221                                      | 221                                      | 221                                      | 221                                      | 221                                      |
| 1570                                     | 1570                                     | 1570                                     | 1570                                     | 1570                                     | 1570                                     |
| 1570                                     | 1570                                     | 1570                                     | 1570                                     | 1570                                     | 1570                                     |
| 885                                      | 885                                      | 885                                      | 885                                      | 885                                      | 885                                      |
| 1225                                     | 1225                                     | 1225                                     | 1225                                     | 1225                                     | 1225                                     |
| 6.7                                      | 6.7                                      | 6.7                                      | 6.7                                      | 6.7                                      | 6.7                                      |
| 32.5                                     | 31.7                                     | 32.6                                     | 32.6                                     | 31.7                                     | 32.6                                     |
| 26.4                                     | 25.8                                     | 26.5                                     | 26.5                                     | 25.8                                     | 26.5                                     |
| 23.2                                     | 22.2                                     | 23.3                                     | 23.3                                     | 22.2                                     | 23.3                                     |
| 1471                                     | 1471                                     | 1471                                     | 1471                                     | 1471                                     | 1471                                     |
| 1509                                     | 1509                                     | 1509                                     | 1509                                     | 1509                                     | 1509                                     |
| 1492                                     | 1492                                     | 1492                                     | 1492                                     | 1492                                     | 1492                                     |
| 1560                                     | 1560                                     | 1560                                     | 1560                                     | 1560                                     | 1560                                     |
| 1134                                     | 1134                                     | 1134                                     | 1134                                     | 1134                                     | 1134                                     |
| 1358                                     | 1358                                     | 1358                                     | 1358                                     | 1358                                     | 1358                                     |
| 493-500                                  | 493-500                                  | 493-500                                  | 493-500                                  | 493-500                                  | 493-500                                  |



| Model   | Unit of Measure | 2.5DDT1 SE 4X2 MT   | 2.5DDT1 SE 4X2 AT   | 2.5DDT1 SE 4X4 MT   | 2.5DDT1 SE Plus 4X2 MT | 2.5DDT1 SE Plus 4X2 AT |
|---|-----------------|---------------------|---------------------|---------------------|------------------------|------------------------|
| <b>WHEELS &amp; TYRES</b>                       |                 |                     |                     |                     |                        |                        |
| Wheel size and type                             |                 | 17" Steel           | 17" Steel           | 17" Steel           | 17" Alloy              | 17" Alloy              |
| Tyre  |                 | 255/65 R17 AT       | 255/65 R17 AT       | 255/65 R17 AT       | 255/65 R17 AT          | 255/65 R17 AT          |
| Spare wheel                                     |                 | Full size steel     | Full size steel     | Full size steel     | Full size steel        | Full size steel        |
| <b>EXTERIOR</b>                                 |                 |                     |                     |                     |                        |                        |
| Grill   |                 | Black               | Black               | Black               | Black                  | Black                  |
| Front bumper                                    |                 | Body Coloured       | Body Coloured       | Body Coloured       | Body Coloured          | Body Coloured          |
| Rear bumper                                     |                 | -                   | -                   | -                   | Body Coloured          | Body Coloured          |
| Side steps                                      |                 | -                   | -                   | -                   | Black                  | Black                  |
| Over-fender                                     |                 | -                   | -                   | -                   | -                      | -                      |
| Roof rails                                      |                 | -                   | -                   | -                   | -                      | -                      |
| Door mirror finish                              |                 | Black               | Black               | Black               | Black                  | Black                  |
| Door mirrors                                    |                 | Power + Manual Fold | Power + Manual Fold | Power + Manual Fold | Power + Manual Fold    | Power + Manual Fold    |
| Door handles                                    |                 | Black               | Black               | Black               | Black                  | Black                  |
| Front and rear mudflaps                         |                 | Std                 | Std                 | Std                 | Std                    | Std                    |
| Front towing hook                               |                 | Std                 | Std                 | Std                 | Std                    | Std                    |
| Headlights                                      |                 | Halogen             | Halogen             | Halogen             | Halogen                | Halogen                |
| Fog lights                                      |                 | -                   | -                   | -                   | -                      | -                      |
| Daytime running lights                          |                 | -                   | -                   | -                   | -                      | -                      |
| 2 channel Utili-Track™ system                   |                 | -                   | -                   | -                   | -                      | -                      |
| 12V outlet inside load box                      |                 | Std                 | Std                 | Std                 | Std                    | Std                    |
| Tow-bar   |                 | -                   | -                   | -                   | -                      | -                      |
| Spare wheel lock                                |                 | Accessory Fitted *  | Accessory Fitted *  | Accessory Fitted *  | Accessory Fitted *     | Accessory Fitted *     |
| <b>COMFORT &amp; CONVENIENCE</b>                |                 |                     |                     |                     |                        |                        |
| Front seat type                                 |                 | Separate Seat       | Separate Seat       | Separate Seat       | Separate Seat          | Separate Seat          |
| Driver seat adjustment                          |                 | 6-way Manual        | 6-way Manual        | 6-way Manual        | 6-way Manual           | 6-way Manual           |
| Passenger seat adjustment                       |                 | 4-way Manual        | 4-way Manual        | 4-way Manual        | 4-way Manual           | 4-way Manual           |
| Seat upholstery                                 |                 | Fabric              | Fabric              | Fabric              | Fabric                 | Fabric                 |
| 12V outlet inside cabin x2                      |                 | Std                 | Std                 | Std                 | Std                    | Std                    |
| USB Port (USB-Ax3 & USB-Cx1)                    |                 | Std                 | Std                 | Std                 | Std                    | Std                    |
| Air-conditioning                                |                 | Manual              | Manual              | Manual              | Manual                 | Manual                 |
| Rear air vents in centre console                |                 | Std                 | Std                 | Std                 | Std                    | Std                    |
| Power windows with driver auto up/down          |                 | Std                 | Std                 | Std                 | Std                    | Std                    |
| Rear screen                                     |                 | Manual Slide        | Manual Slide        | Manual Slide        | Manual Slide           | Manual Slide           |
| Remote central locking                          |                 | Std                 | Std                 | Std                 | Std                    | Std                    |
| Speed sensing auto door lock                    |                 | Std                 | Std                 | Std                 | Std                    | Std                    |
| Intelligent Keyless Entry                       |                 | -                   | -                   | -                   | -                      | -                      |
| Push Button Start                               |                 | -                   | -                   | -                   | -                      | -                      |
| Auto dimming rear view mirror                   |                 | -                   | -                   | -                   | -                      | -                      |
| <b>AUDIO &amp; CONNECTIVITY</b>                 |                 |                     |                     |                     |                        |                        |
| Audio - CD, AM/FM, RDS, Bluetooth® connectivity |                 | Std                 | Std                 | Std                 | Std                    | Std                    |
| NissanConnect with Android Auto & Apple CarPlay |                 | -                   | -                   | -                   | -                      | -                      |

| 2.5DDT1 SE Plus 4X4 MT | 2.5DDT1 LE 4X2 AT           | 2.5DDT1 LE 4X4 MT           | 2.5DDT1 LE 4X4 AT           | 2.5DDT1 PRO-2X 4X2 AT       | 2.5DDT1 PRO-4X 4X4 AT       |
|------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|
| 17" Alloy              | 18" Alloy                   | 18" Alloy                   | 18" Alloy                   | 17" Alloy                   | 17" Alloy                   |
| 255/65 R17 AT          | 255/60 R18 HT               | 255/60 R18 HT               | 255/60 R18 HT               | 255/65 R17 AT               | 255/65 R17 AT               |
| Full size steel        | Full size alloy             | Full size alloy             | Full size alloy             | Full size alloy             | Full size alloy             |
| Black                  | Chrome                      | Chrome                      | Chrome                      | Black                       | Black                       |
| Body Coloured          | Body Coloured               | Body Coloured               | Body Coloured               | Body Coloured               | Body Coloured               |
| Body Coloured          | Body Coloured               | Body Coloured               | Body Coloured               | Body Coloured               | Body Coloured               |
| Black                  | Silver                      | Silver                      | Silver                      | Black                       | Black                       |
| -                      | -                           | -                           | -                           | Black                       | Black                       |
| -                      | -                           | -                           | -                           | Black                       | Black                       |
| Black                  | Body Coloured               | Body Coloured               | Body Coloured               | Black                       | Black                       |
| Power + Manual Fold    | Power + Auto Fold           | Power + Auto Fold           | Power + Auto Fold           | Power + Auto Fold           | Power + Auto Fold           |
| Black                  | Chrome                      | Chrome                      | Chrome                      | Black                       | Black                       |
| Std                    | Std                         | Std                         | Std                         | Std                         | Std                         |
| Std                    | Std                         | Std                         | Std                         | Std                         | Std                         |
| Halogen                | LED + Auto + Follow me home | LED + Auto + Follow me home | LED + Auto + Follow me home | LED + Auto + Follow me home | LED + Auto + Follow me home |
| -                      | Std                         | Std                         | Std                         | Std                         | Std                         |
| -                      | Std                         | Std                         | Std                         | Std                         | Std                         |
| -                      | Std                         | Std                         | Std                         | Std                         | Std                         |
| Std                    | Std                         | Std                         | Std                         | Std                         | Std                         |
| -                      | -                           | -                           | -                           | Accessory Fitted *          | Accessory Fitted *          |
| Accessory Fitted *     | Accessory Fitted *          | Accessory Fitted *          | Accessory Fitted *          | Accessory Fitted *          | Accessory Fitted *          |
| Separate Seat          | Separate Seat               | Separate Seat               | Separate Seat               | Separate Seat               | Separate Seat               |
| 6-way Manual           | 8-way Power                 | 8-way Power                 | 8-way Power                 | 8-way Power                 | 8-way Power                 |
| 4-way Manual           | 4-way Manual                | 4-way Manual                | 4-way Manual                | 4-way Manual                | 4-way Manual                |
| Fabric                 | Leather                     | Leather                     | Leather                     | Leather                     | Leather                     |
| Std                    | Std                         | Std                         | Std                         | Std                         | Std                         |
| Std                    | Std                         | Std                         | Std                         | Std                         | Std                         |
| Manual                 | Automatic Dual Zone         | Automatic Dual Zone         | Automatic Dual Zone         | Automatic Dual Zone         | Automatic Dual Zone         |
| Std                    | Std                         | Std                         | Std                         | Std                         | Std                         |
| Std                    | Std                         | Std                         | Std                         | Std                         | Std                         |
| Manual Slide           | Manual Slide                | Manual Slide                | Manual Slide                | Power Sliding               | Power Sliding               |
| Std                    | Std                         | Std                         | Std                         | Std                         | Std                         |
| Std                    | Std                         | Std                         | Std                         | Std                         | Std                         |
| -                      | Std                         | Std                         | Std                         | Std                         | Std                         |
| -                      | Std                         | Std                         | Std                         | Std                         | Std                         |
| -                      | -                           | -                           | -                           | Std                         | Std                         |
| Std                    | Std                         | Std                         | Std                         | Std                         | Std                         |
| -                      | Std                         | Std                         | Std                         | Std                         | Std                         |

\*NISSAN APPROVED ACCESSORY OPTION INCLUDED IN MODEL PRICE. CUSTOMER CHOICE AVAILABLE TO ORDER WITH OR WITHOUT.







| Model                                 | Unit of Measure | 2.5DE Petrol XE 4X2 MT                   | 2.5DDTi XE 4X2 MT                        | 2.5DDTi SE 4X2 MT                        | 2.5DDTi SE 4X4 MT                        | 2.5DDTi LE 4X2 MT                        | 2.5DDTi LE 4X4 MT                        |
|---------------------------------------|-----------------|--|--|--|--|--|--|
| <b>ENGINE</b>                         |                 |  |  |  |  |  |  |
| Engine                                |                 | 2.5DE Petrol                             | 2.5DDTi Mid Output                       | 2.5DDTi Mid Output                       | 2.5DDTi Mid Output                       | 2.5DDTi High Output                      | 2.5DDTi High Output                      |
| Engine displacement                   | cc              | 2488                                     | 2488                                     | 2488                                     | 2488                                     | 2488                                     | 2488                                     |
| Bore and stroke                       | mm              | 89.0 x 100.0                             | 89.0 x 100.0                             | 89.0 x 100.0                             | 89.0 x 100.0                             | 89.0 x 100.0                             | 89.0 x 100.0                             |
| Maximum power                         | kW/rpm          | 118/6000                                 | 120/3600                                 | 120/3600                                 | 120/3600                                 | 140/3600                                 | 140/3600                                 |
| Maximum torque                        | Nm/rpm          | 233/4000                                 | 403/2000                                 | 403/2000                                 | 403/2000                                 | 450/2000                                 | 450/2000                                 |
| Fuel type                             |                 | Petrol                                   | Diesel                                   | Diesel                                   | Diesel                                   | Diesel                                   | Diesel                                   |
| Fuel tank capacity                    | ℓ               | 80                                       | 80                                       | 80                                       | 80                                       | 80                                       | 80                                       |
| <b>TRANSMISSION &amp; DRIVE TRAIN</b> |                 |  |  |  |  |  |  |
| Transmission                          |                 | 6-Speed Manual                           | 6-SPEED MANUAL                           | 6-Speed Manual                           | 6-SPEED MANUAL                           | 6-SPEED MANUAL                           | 6-SPEED MANUAL                           |
| Driven wheels                         |                 | 2WD                                      | 2WD                                      | 2WD                                      | 4WD                                      | 2WD                                      | 4WD                                      |
| Electronic rear differential lock     |                 | -  | -  | Std                                      | Std                                      | Std                                      | Std                                      |
| <b>SUSPENSION</b>                     |                 |  |  |  |  |  |  |
| Front                                 |                 | Independent double-wishbone + stabiliser | Independent double-wishbone + stabiliser | Independent double-wishbone + stabiliser | Independent double-wishbone + stabiliser | Independent double-wishbone + stabiliser | Independent double-wishbone + stabiliser |
| Rear                                  |                 | Leaf Spring                              | Leaf Spring                              | Leaf Spring                              | Leaf Spring                              | Leaf Spring                              | Leaf Spring                              |
| <b>WEIGHTS &amp; CAPACITY</b>         |                 |  |  |  |  |  |  |
| Gross Combination Mass (GCM)          | kg              | 4150                                     | 6130                                     | 6130                                     | 6130                                     | 6130                                     | 6130                                     |
| Gross Vehicle Mass (GVM)              | kg              | 2740                                     | 2940                                     | 2940                                     | 3010                                     | 2940                                     | 3010                                     |
| Tare mass                             | kg              | 1603                                     | 1714                                     | 1723                                     | 1803                                     | 1748                                     | 1830                                     |
| Payload                               | kg              | 1065                                     | 1144                                     | 1132                                     | 1119                                     | 1083                                     | 1069                                     |
| Maximum towing capacity unbraked      | kg              | 750                                      | 750                                      | 750                                      | 750                                      | 750                                      | 750                                      |
| Maximum towing capacity braked        | kg              | 1588                                     | 3500                                     | 3500                                     | 3500                                     | 3500                                     | 3500                                     |
| <b>DIMENSIONS</b>                     |                 |  |  |  |  |  |  |
| Overall length                        | mm              | 5235                                     | 5235                                     | 5235                                     | 5235                                     | 5335                                     | 5335                                     |
| Overall width (excluding mirrors)     | mm              | 1790                                     | 1790                                     | 1790                                     | 1790                                     | 1790                                     | 1790                                     |
| Overall height                        | mm              | 1750                                     | 1750                                     | 1750                                     | 1760                                     | 1750                                     | 1760                                     |
| Wheelbase                             | mm              | 3150                                     | 3150                                     | 3150                                     | 3150                                     | 3150                                     | 3150                                     |
| Ground clearance (to rear axle)       | mm              | 209                                      | 209                                      | 209                                      | 208                                      | 209                                      | 208                                      |
| Front track                           | mm              | 1550                                     | 1550                                     | 1550                                     | 1550                                     | 1550                                     | 1550                                     |
| Rear track                            | mm              | 1550                                     | 1550                                     | 1550                                     | 1550                                     | 1550                                     | 1550                                     |
| Front overhang                        | mm              | 885                                      | 885                                      | 885                                      | 885                                      | 885                                      | 885                                      |
| Rear overhang                         | mm              | 1200                                     | 1200                                     | 1200                                     | 1200                                     | 1300                                     | 1300                                     |
| Turning circle (wall to wall)         | m               | 6.4                                      | 6.4                                      | 6.4                                      | 6.4                                      | 6.4                                      | 6.4                                      |
| Approach angle                        | Degrees         | 30.7                                     | 30.8                                     | 30.8                                     | 32                                       | 30.8                                     | 32.0                                     |
| Departure angle                       | Degrees         | 26.7                                     | 26.7                                     | 26.7                                     | 26.5                                     | 23.1                                     | 22.8                                     |
| Ramp break-over angle                 | Degrees         | 22.1                                     | 22.1                                     | 22.1                                     | 22.7                                     | 22.1                                     | 22.7                                     |
| Load box length - top                 | mm              | 2311                                     | 2311                                     | 2311                                     | 2311                                     | 2311                                     | 2311                                     |
| Load box length - floor               | mm              | 2353                                     | 2353                                     | 2353                                     | 2353                                     | 2353                                     | 2353                                     |
| Load box width - top                  | mm              | 1552                                     | 1552                                     | 1552                                     | 1552                                     | 1552                                     | 1552                                     |
| Load box width - floor                | mm              | 1560                                     | 1560                                     | 1560                                     | 1560                                     | 1560                                     | 1560                                     |
| <b>WHEELS &amp; TYRES</b>             |                 |  |  |  |  |  |  |
| Wheel size and type                   |                 | 16" Steel                                | 16" Steel                                | 16" Steel                                | 16" Steel                                | 16" Steel                                | 16" Steel                                |

\*NISSAN APPROVED ACCESSORY OPTION INCLUDED IN MODEL PRICE. CUSTOMER CHOICE AVAILABLE TO ORDER WITH OR WITHOUT.

**NOTICE, FUEL CONSUMPTION AND EMISSIONS:** Quoted fuel consumption and emission values have been established using the prescribed method of measurement (United Nations Economic Commission for Europe "ECE" Regulation R101 in the current version) as required under legislation. The fuel economy information is "ideal world" testing figures, supplied for the purpose of comparison between the various types of vehicles. In "real world" driving conditions, other factors such as driving style, fuel quality, weather, altitude, tyre pressure, etc. can all influence the fuel consumption results for any given vehicle.

**NOTICE, TOWING ADVISORY:** The stated towing capacity is the maximum trailer mass that the Nissan NAVARA is designed to tow. However, the combined mass of the vehicle and trailer should never exceed the Gross Combination Mass of the vehicle. Should the gross mass of the trailer exceed 750 kilograms, but not exceed the vehicle Tare, the trailer should be equipped with a parking brake and either an overrun brake or service brake. Should the Gross Vehicle Mass of the trailer exceed 750 kilograms as well as the vehicle Tare, but not exceed 3 500 kilograms (3.5 tons), the trailer should be equipped with a parking brake and a service brake.

| Model   | Unit of Measure | 2.5DE Petrol XE 4X2 MT | 2.5DDTi XE 4X2 MT   | 2.5DDTi SE 4X2 MT   | 2.5DDTi SE 4X4 MT   | 2.5DDTi LE 4X2 MT   | 2.5DDTi LE 4X4 MT   |
|---|-----------------|------------------------|---------------------|---------------------|---------------------|---------------------|---------------------|
| Tyre  |                 | 205/R16 AT             | 205/R16 AT          | 205/R16 AT          | 205/R16 AT          | 205/R16 AT          | 205/R16 AT          |
| Spare wheel                                     |                 | Full size steel        | Full size steel     | Full size steel     | Full size steel     | Full size steel     | Full size steel     |
| <b>EXTERIOR</b>                                 |                 |                        |                     |                     |                     |                     |                     |
| Door mirrors                                    |                 | Power + Manual Fold    | Power + Manual Fold | Power + Manual Fold | Power + Manual Fold | Power + Manual Fold | Power + Auto Fold   |
| Headlights                                      |                 | Halogen                | Halogen             | Halogen             | Halogen             | Halogen             | Halogen             |
| Fog lights                                      |                 | -                      | -                   | -                   | -                   | Halogen             | Halogen             |
| Spare wheel lock                                |                 | Accessory Fitted *     | Accessory Fitted *  | Accessory Fitted *  | Accessory Fitted *  | Accessory Fitted *  | Accessory Fitted *  |
| <b>COMFORT &amp; CONVENIENCE</b>                |                 |                        |                     |                     |                     |                     |                     |
| Front seat type                                 |                 | Split-bench seat       | Split-bench seat    | Separate seat       | Separate seat       | Separate seat       | Separate seat       |
| Driver seat adjustment                          |                 | 4-way Manual           | 4-way Manual        | 6-way Manual        | 6-way Manual        | 6-way Manual        | 6-way Manual        |
| Passenger seat adjustment                       |                 | 2-way Manual           | 2-way Manual        | 4-way Manual        | 4-way Manual        | 4-way Manual        | 4-way Manual        |
| Seat upholstery                                 |                 | PVC                    | PVC                 | Fabric              | Fabric              | Fabric              | Fabric              |
| 12V outlet inside cabin                         |                 | 1                      | 1                   | 2                   | 2                   | 2                   | 2                   |
| USB port (USB-A)                                |                 | -                      | -                   | 1                   | 1                   | 1                   | 1                   |
| Air-conditioning                                |                 | Manual                 | Manual              | Manual              | Manual              | Manual              | Manual              |
| Power windows with driver auto up/down          |                 | -                      | -                   | Std                 | Std                 | Std                 | Std                 |
| Remote central locking                          |                 | -                      | -                   | Std                 | Std                 | Std                 | Std                 |
| <b>AUDIO &amp; CONNECTIVITY</b>                 |                 |                        |                     |                     |                     |                     |                     |
| Audio - CD, AM/FM, RDS, Bluetooth® connectivity |                 | -                      | -                   | Std                 | Std                 | Std                 | Std                 |
| NissanConnect with Android Auto & Apple CarPlay |                 | -                      | -                   | -                   | -                   | Std                 | Std                 |
| 8" Touch screen display                         |                 | -                      | -                   | -                   | -                   | Std                 | Std                 |
| Steering wheel audio controls                   |                 | -                      | -                   | Std                 | Std                 | Std                 | Std                 |
| <b>SAFETY &amp; SECURITY</b>                    |                 |                        |                     |                     |                     |                     |                     |
| Driver and front passenger airbags              |                 | Std                    | Std                 | Std                 | Std                 | Std                 | Std                 |
| Side airbags                                    |                 | -                      | -                   | Std                 | Std                 | Std                 | Std                 |
| Curtain airbags                                 |                 | -                      | -                   | Std                 | Std                 | Std                 | Std                 |
| Driver knee airbag                              |                 | -                      | -                   | Std                 | Std                 | Std                 | Std                 |
| Immobiliser                                     |                 | Std                    | Std                 | Std                 | Std                 | Std                 | Std                 |
| Alarm   |                 | -                      | -                   | Std                 | Std                 | Std                 | Std                 |
| Anti-lock Braking System (ABS)                  |                 | Std                    | Std                 | Std                 | Std                 | Std                 | Std                 |
| Electronic Brake Force Distribution (EBD)       |                 | Std                    | Std                 | Std                 | Std                 | Std                 | Std                 |
| Brake Assist (BA)                               |                 | Std                    | Std                 | Std                 | Std                 | Std                 | Std                 |
| Vehicle Dynamic Control (VDC)                   |                 | -                      | -                   | Std                 | Std                 | Std                 | Std                 |
| Trailer Stability Assist (TSA)                  |                 | -                      | -                   | Std                 | Std                 | Std                 | Std                 |
| Hill Start Assist (HSA)                         |                 | -                      | -                   | Std                 | Std                 | Std                 | Std                 |
| Hill Descent Control (HDC)                      |                 | -                      | -                   | -                   | Std                 | -                   | Std                 |
| Reverse camera and sensors                      |                 | -                      | -                   | -                   | -                   | Std                 | Std                 |
| Cruise Control                                  |                 | -                      | -                   | -                   | -                   | Std                 | Std                 |
| <b>SERVICE &amp; WARRANTY</b>                   |                 |                        |                     |                     |                     |                     |                     |
| Service interval                                |                 | 15,000 km              | 15,000 km           | 15,000 km           | 15,000 km           | 15,000 km           | 15,000 km           |
| Service plan                                    |                 | 6 year / 90,000 km     | 6 year / 90,000 km  | 6 year / 90,000 km  | 6 year / 90,000 km  | 6 year / 90,000 km  | 6 year / 90,000 km  |
| Warranty  |                 | 6 year / 150,000 km    | 6 year / 150,000 km | 6 year / 150,000 km | 6 year / 150,000 km | 6 year / 150,000 km | 6 year / 150,000 km |

**NOTICE, MASS AND CAPACITIES:** Kerb weight refers to the unladen weight of the vehicle including a full tank of fuel. Payload refers to the total carrying capacity of vehicle (without vehicle kerb weight), including driver, passengers and load. Gross Vehicle Mass (GVM) refers to the maximum allowable mass of the vehicle when fully loaded, including driver, passengers, fuel and load. Gross Combination Mass (GCM) refers to the maximum allowable mass of the vehicle (GVM) and towed/trailer mass.

Optional equipment can result in an increase/decrease in the unladen weight and consequently affect the payload. Due to production tolerances/tyre sizes/type of running gear, the actual dimensions can differ slightly from the figures supplied in this brochure.





#### Nissan's commitment to the environment

Nissan's environmental philosophy embraces people, vehicles and nature. In the pursuit of a sustainable mobile society, the Nissan Green Program aims to reduce the environmental impact of Nissan vehicles at every stage of the vehicle life cycle, while corporate activities address environmental challenges.

**NISSAN'S commitment to quality:** to provide all customers with a consistently high level of quality, Nissan applies the standard worldwide, to ensure that all Nissan owners enjoy peace of mind for the lives of their vehicles. The approach is based on quality from the customer's perspective on three key elements: 1. The expectation of a smooth driving experience with complete peace of mind. 2. The intangible appeal of a vehicle, its power to captivate and excite, with features that capture attention and imagination. 3. The level of attentiveness and service during the sales process, and long after the sale is concluded.

#### Legal Notice

Every effort has been made to ensure that the content of this brochure is correct at the time of going to print. This brochure has been produced featuring prototype or accessorised vehicles exhibited at motor shows and, in accordance with the company's policy of continuously improving its products, Nissan South Africa reserves the right to change the specification and the vehicles described and shown in this brochure at any time. Nissan Dealers will be informed of any such modifications as quickly as possible. Please check with your local Nissan Dealer to receive the most up-to-date information. Due to the limitations of the printing processes used, the colours shown in this brochure may differ slightly from the actual colours of the paint and interior trim materials used. All rights reserved. Reproduction in whole or part of this brochure without the written permission from Nissan is forbidden. Quoted fuel consumption and emission values have been established using the prescribed method of measurement (United Nations Economic Commission for Europe "ECE" Regulation R101 in the current version) as required under current legislation. This data does not pertain to the specific vehicle and does not comprise part of the offer, but is supplied for the purpose of comparison between the various types of vehicles, in accordance with 1999/94/EC. Driving behaviour / conditions and other non-technical factors contribute towards a vehicle's fuel consumption and CO<sub>2</sub> emissions over and above the determined fuel efficiency of a vehicle.

PHONE US TOLL FREE ON: 0800 NISSAN (647 726)

FOLLOW NISSAN ON:







Nissan Intelligent Mobility moves you one step ahead. In cars that feel like an extension of you, helping you see more and sense more, reacting with you, and sometimes even for you. Nissan Intelligent Mobility is about a better future - moving us to a world that's safer, more sustainable, and exciting.

visit our website at: [www.nissan.co.za](http://www.nissan.co.za)